



Vault Services Currency & Coin Ordering

Transmission Toolkit

Copyright © 2017 by KeyBank, N.A.

All rights reserved. Reproduction of any part of this work beyond that permitted by Section 107 or 108 of the 1976 United States Copyright Act without the permission of the copyright owner (KeyBank) is unlawful.

This publication is designed to provide accurate information about the subject matter covered. Please be aware that changes to the information may occur after the publication date.

Currency & Coin Ordering

Currency & Coin Ordering Via Data Transmission

Key processes all of your currency and coin orders through a state of the art centralized ordering system.

Our vault services offer an expanded network of vault solutions that can process your currency and coin orders nationwide. As a result, our centralized ordering system allows our entire network of vaults to receive your orders and facilitate the most efficient packing and loading of your currency and coin orders into your selected armored carrier's vehicle.

In addition to placing currency and coin orders by phone or online through KeyNavigatorSM, you can elect to submit your currency and coin order requests by transmitting us an automated data file.

Currency & Coin Order File Format

File Name

You should create the filename using the following format:

KeyBank-ImportOrderNN-YYYY-MM-DD HHMMSS.csv

- NN = Sequential number incremented each time a file is created (01-99) during the day.
- YYYY = Year
- MM = Month (01-12)
- DD = Day (01-31)
- HH = Hour (00-23)
- MM = Minute (00:59)
- SS = Second(00:59)

The following is an example file name:

KeyBank-ImportOrder01-2013-02-12 141224.csv

- NN = 01
- YYYY = 2013
- MM = 02
- DD = 12
- HH = 14
- MM = 12
- SS = 24

Record Format

General

- There will be one header record at the start of the file
- There will be many detail records in the file representing orders from clients.
- There will be one footer record at the end of the file.
- Field will be comma separated, no quotes around entries, nulls and blanks are permitted
- <CR><LF> at end of each line

Header Record

The header record must use the following format:

RecordType, Sender, Receiver, TransmissionDateTime<CR><LF>

Detail Record

The detail record must use the following format:

RecordType, TPID, ClientCode, DeliveryDate, ReferenceNumber, CurrencyType, Ones, Twos, Fives, Tens, Twenties, Fifties, Hundreds, Pennies, Nickels, Dimes, Quarters, Halves, Dollars, 2Dollars<CR><LF>

Note - The TPID (Third Party Identifier) field should be left blank (expressed as *RecordType,,ClientCode.....*) if you are a non "Deposit Tracking System" (DTS) user.

Trailer Record

The trailer record must use the following format:

RecordType, CountOfDetailRecord<CR><LF>

Sample files

Example – Submitted file:

```
H,CompanyABC,Key Bank,10/01/2012 13:01:20
D,,123456789-5555,10/02/2012,90000001,USD,100,,5000,100,20000,,100,10.00,26.00,50.00,100.00,,,
D,,123456789-5552,10/02/2012,90000002,USD,500,0,100,120,4000,0,100,1.00,26.00,50.00,100.00,0.00,0.00,0.00
D,,123456789-5553,10/02/2012,90000003,USD,100,0,500,100,2000,0,100,10.00,25.00,50.00,100.00,0.00,0.00
T,3
```

Field Definitions

| Field Name | Description | Example data | Data Validation |
|-----------------------------|---|------------------------|--|
| Header.RecordType | Record type, always 'H' | H | N/A |
| Header.Sender | <ul style="list-style-type: none"> Sender of the file (e.g. Client Name, "CompanyABC") | CompanyABC | <ul style="list-style-type: none"> Alphanumeric. Max length 14 characters. |
| Header.Receiver | <ul style="list-style-type: none"> Receiver of the file (e.g. "KeyBank") | KeyBank | <ul style="list-style-type: none"> Alphanumeric Max length 14 characters. |
| Header.TransmissionDateTime | <ul style="list-style-type: none"> Date the file was sent. | 10/01/2012 13:01:20 | MM/DD/YYYY HH:MI:SS <ul style="list-style-type: none"> MM = Month (01-12) DD = Day (01-31) YYYY = Year HH = Hour (00-23) MI = Minute (00-59) SS = Second (00-59) |
| Detail.RecordType | <ul style="list-style-type: none"> Record type, always 'D' | D | N/A |
| Detail.TPID | <ul style="list-style-type: none"> Empty - This field is not populated | | N/A |
| Detail.ClientCode | <ul style="list-style-type: none"> Client code, usually formatted as 'Account – Location' (e.g. '123456789-5555') Empty if <i>Detail.TPID</i> has a value. This field is populated for non-DTS Order Files only. (Files from ABC, CompanyXYZ, Pioneer) | 123456789-5555 | <ul style="list-style-type: none"> Alphanumeric Max length 25 characters. Must match with a client code. |
| Detail.DeliveryDate | <ul style="list-style-type: none"> Date when the order should | 10/02/2012 | <ul style="list-style-type: none"> MM/DD/YYYY |

| Field Name | Description | Example data | Data Validation |
|------------------------|---|--------------|--|
| | be delivered. | | <ul style="list-style-type: none"> MM = Month (01-12) DD = Day (01-31) YYYY = Year Must be a valid delivery date in ISA. |
| Detail.ReferenceNumber | <ul style="list-style-type: none"> Unique Reference number assigned by Client Sender. Cannot be duplicated within a single day. | 9000001 | <ul style="list-style-type: none"> Alphanumeric Max length 10. |
| Detail.CurrencyType | Three characters designating the currency type e.g. "USD", or "CAD". | USD | <ul style="list-style-type: none"> Alphanumeric. Max length 3. |
| Detail.Ones | Value of \$1 notes to be ordered. | 5001 | <ul style="list-style-type: none"> Max length 11 Whole number The lowest denomination available to be ordered by the client. |
| Detail.Twos | Value of \$2 notes to be ordered. | 6002 | <ul style="list-style-type: none"> Max length 11 Whole number The lowest denomination available to be ordered by the client. |
| Detail.Fives | Value of \$5 notes to be ordered. | 5005 | <ul style="list-style-type: none"> Max length 11 Whole number The lowest denomination available to be ordered by the client. |
| Detail.Tens | Value of \$10 notes to be ordered. | 7010 | <ul style="list-style-type: none"> Max length 11 Whole number The lowest denomination available to be ordered by the client. |
| Detail.Twenties | Value of \$20 notes to be ordered. | 8020 | <ul style="list-style-type: none"> Max length 11 Whole number The lowest denomination available to be ordered by the client. |
| Detail.Fifties | Value of \$50 notes to be ordered. | 9050 | <ul style="list-style-type: none"> Max length 11 Whole number The lowest denomination available to be ordered by the client. |

| Field Name | Description | Example data | Data Validation |
|-----------------------------|--------------------------------------|--------------|---|
| Detail.Hundreds | Value of \$100 notes to be ordered. | 1000 | <ul style="list-style-type: none"> Max length 11 Whole number The lowest denomination available to be ordered by the client. |
| Detail.Pennies | Value of 1 cent coins to be ordered. | 1.00 | <ul style="list-style-type: none"> Max length 11 Decimal, 2 decimal places. The lowest denomination available to be ordered by the client Canadian coins are unavailable in this denomination. |
| Detail.Nickels | Value of 5 cent coins to be ordered. | 20.00 | <ul style="list-style-type: none"> As above. Canadian coins are unavailable in this denomination. |
| Detail.Dimes | Value of 10 cent coins to ordered. | 10.00 | <ul style="list-style-type: none"> As above. Canadian coins are unavailable in this denomination. |
| Detail.Quarters | Value of 25 cent coins to ordered. | 30.00 | <ul style="list-style-type: none"> As above. Canadian coins are unavailable in this denomination. |
| Detail.Halves | Value of 50 cent coins to ordered. | 10.00 | <ul style="list-style-type: none"> As above. Canadian coins are unavailable in this denomination. |
| Detail.Dollars | Value of \$1 coins to ordered. | 50.00 | <ul style="list-style-type: none"> As above for USD. Canadian Coins are available in this denomination |
| Detail.2Dollars | Value of \$2 coins to ordered. | 50.00 | <ul style="list-style-type: none"> Canadian Coins are available in this denomination |
| Trailer.RecordType | Record type, always 'T' | T | N/A |
| Trailer.CountOfDetailRecord | Number of detail records | 3 | <ul style="list-style-type: none"> Minimum value 0. Maximum value 999. |

Currency & Coin Acknowledgement File Format

With every currency and coin order file you provide, KeyBank will create a corresponding Acknowledgement file that will serve as your confirmation that the currency and coin orders you sent have been successfully processed by Key.

You will need to either pull your acknowledgement file down, or KeyBank can send you your acknowledgement file for you to process. Processing your acknowledgement file is important because, if any of your orders are missing from the acknowledgment file, you will need to contact KeyBank to follow-up on why the order wasn't processed. At the same time, remember, if for some reason Key has any issues with your orders on the order file you provided, alerts will be triggered at KeyBank as well to ensure any issues are being addressed by both KeyBank and your organization.

Currency & Coin Order Acknowledgment File Format

File Name

The filename will have the following format:

KeyBank-OrderAcklgNN-YYYY-MM-DD HHMMSS.csv

- NN = Sequential number incremented each time a file is created (01-99) for a day
- YYYY = Year
- MM = Month (01-12)
- DD = Day (01-31)
- HH = Hour (00-23)
- MM = Minute (00:59)
- SS = Second(00:59)

The following is an example file name:

KeyBank-OrderAcklg01-2013-02-12 141234.csv

- NN = 01
- YYYY = 2013
- MM = 02
- DD = 12
- HH = 14
- MM = 12
- SS = 34

Record Format

General

- There will be one header record at the start of the file
- There will be many detail records in the file representing orders from clients.
- There will be one footer record at the end of the file.
- Field will be comma separated, no quotes around entries, nulls and blanks permitted
- <CR><LF> at end of each line

Header Record

The header record will have the following format:

RecordType,Sender,Receiver,TransmissionDateTime<CR><LF>

Detail Record

The detail record will have the following format:

RecordType,TPID,ClientCode,ReferenceNumber,BankConfirmationNumber,Status<CR><LF>

Note - The TPID (Third Party Identifier) field will be left blank (expressed as *Record Type,,ClientCode.....*) if you are a non "Deposit Tracking System" (DTS) user.

Trailer Record

The trailer record will have the following format:

RecordType,CountOfConfirmedOrders<CR><LF>

Sample files

Example – Acknowledgement file:

```
H,CompanyABC,KeyBank,04/21/2014 09:58:01
D,,359681152617-1001,134,210414_513_359681_003620,1
D,,359681152617-1004,135,210414_513_359681_003630,1
D,,359681152617-1005,136,210414_513_359681_003640,1
D,,359681152617-1008,138,210414_513_359681_003649,1
D,,359681152617-1011,139,210414_513_359681_003659,1
D,,359681152617-1026,140,210414_513_359681_003665,1
D,,359681152617-1041,141,210414_513_359681_003670,1
T,7
```

Field Definitions

| Field Name | Description | Example data | Data Validation |
|-------------------------------|---|--------------------------|--|
| Header.RecordType | <ul style="list-style-type: none"> Record type, always 'H' | H | N/A |
| Header.Receiver | <ul style="list-style-type: none"> Receiver of the file (e.g. "CompanyABC") | CompanyABC | <ul style="list-style-type: none"> Alphanumeric Max length 14 characters. |
| Header.Sender | <ul style="list-style-type: none"> Sender of the file (e.g. "KeyBank") | KeyBank | <ul style="list-style-type: none"> Alphanumeric Max length 14 characters. |
| Header. TransmissionDateTime | <ul style="list-style-type: none"> Date the file was sent. | 10/01/2012 13:01:20 | MM/DD/YYYY HH:MI:SS <ul style="list-style-type: none"> MM = Month (01-12) DD = Day (01-31) YYYY = Year HH = Hour (00-23) MI = Minute (00-59) SS = Second (00-59) |
| Detail. RecordType | <ul style="list-style-type: none"> Record type, always 'D' | D | N/A |
| Detail.TPID | <ul style="list-style-type: none"> Empty - This field is not populated | | N/A |
| Detail.ClientCode | <ul style="list-style-type: none"> Client code used in order file, usually formatted as 'Account – Location' (e.g. '123456789-5555') | 123456789-5555 | <ul style="list-style-type: none"> Alphanumeric Max length 25 characters. Must match client code. |
| Detail.ReferenceNumber | <ul style="list-style-type: none"> Unique Reference number assigned by Client Sender. Corresponds to the reference number in the related order file | 9000001 | <ul style="list-style-type: none"> Alphanumeric Max length 10. |
| Detail.BankConfirmationNumber | <ul style="list-style-type: none"> Confirmation number from KeyBank | 060409_100_0ZZ100_001405 | <ul style="list-style-type: none"> Alphanumeric. Max length 25 Characters. |

| Field Name | Description | Example data | Data Validation |
|--------------------------------|---|--------------|--|
| Detail.Status | <ul style="list-style-type: none"> Status of the order <ul style="list-style-type: none"> 1 = Received 2 = Cancelled 3 = Despatched Currently the only value possible is 1 (received). | 1 | <ul style="list-style-type: none"> Minimum value 1. Maximum value 9. |
| Trailer.RecordType | Record type, always 'T' | T | N/A |
| Trailer.CountOfConfirmedOrders | Number of detail records | 3 | <ul style="list-style-type: none"> Minimum value 0. Maximum value 999. |